


**Aesthetic  
meets  
function**



Presented by  
**ATG ELECTRONICS**

[atgelectronics.com](http://atgelectronics.com)

Arriving  
**DECEMBER 2018**

Wet Location Rated  
Architectural Fixtures



951.245.6222  
[sales@atgelectronics.com](mailto:sales@atgelectronics.com)  
[atgelectronics.com](http://atgelectronics.com)



| Part No.  | Watts (W) | Efficacy (Lm/W) | Lumens (Lm) | Dimensions (φ*H) Inches |
|-----------|-----------|-----------------|-------------|-------------------------|
| RBH-A-30  | 30        | 90              | 2,700       | 10.8*3.7                |
| RBH-B-30  | 30        | 90              | 2,700       | 10.8*3.3                |
| RBH-C-30  | 30        | 90              | 2,700       | 10.8*3.7                |
| RBH-A-50* | 50*       | 90              | 4,500       | 14*5.7                  |
| RBH-B-50* | 50*       | 90              | 4,500       | 14*5.1                  |
| RBH-C-50* | 50*       | 90              | 4,500       | 14*5.7                  |

\*contact sales for lead time



**SPARTAN**  
B O L L A R D  
IP65

| Part No.  | Watts (W) | Efficacy (Lm/W) | Lumens (Lm) | Dimensions (H*W(D)) Inches |
|-----------|-----------|-----------------|-------------|----------------------------|
| BLD-24-50 | 24        | 90              | 2,160       | 42.1*7.9                   |



**CLiO**  
ARCHITECTURAL  
POST TOP  
IP66



| Part No.  | Watts (W) | Efficacy (Lm/W) | Lumens (Lm) | Dimensions (D*H) Inches |
|-----------|-----------|-----------------|-------------|-------------------------|
| PTV-25-50 | 25        | 120+            | 2750+       | 15.76*23.21             |
| PTV-35-50 | 35        | 115+            | 3700+       | 15.76*23.21             |
| PTV-60-50 | 58        | 115+            | 6500+       | 15.76*23.21             |
| PTV-80-50 | 78.5      | 110+            | 8750+       | 15.76*23.21             |



**AiRiA**  
ARCHITECTURAL  
IP66



| Part No.      | Watts (W) | Efficacy (Lm/W) | Lumens (Lm) | Dimensions (L*W*H) Inches |
|---------------|-----------|-----------------|-------------|---------------------------|
| AA-35-50-T3   | 35        | 110             | 3,850       | 18*9*4.3                  |
| AA-75-50-T4   | 75        | 110             | 8,250       | 18*9*4.3                  |
| AA-100-50-T4* | 100*      | 110             | 11,000      | 24*12*4.5                 |
| AA-150-50-T4  | 150       | 110             | 16,500      | 24*12*4.5                 |
| AA-200-50-T4* | 210*      | 110             | 23,100      | 31*16.5*5.7               |
| AA-240-50-T4  | 240       | 110             | 26,400      | 31*16.5*5.7               |
| AA-300-50-T4  | 300       | 110             | 33,000      | 31*16.5*5.7               |

\*contact sales for lead time

**Criteria-meeting  
yet charming  
luminaires for your  
next outdoor  
project**

ATG has engineered a line of innovative outdoor LED fixtures that combines the tenacity and efficiency of classic commercial LED lamps with the poise and allure of the decorative side of the lighting industry.

**Meet ATG's  
dependable, wet  
location rated  
architectural  
fixtures.**



Each stylish architectural light is wet location rated -IP65 and above- making them impressively flexible in application.



**Portal**  
Bulkhead



**SPARTAN**  
BOLLARD



951.245.6222  
sales@atgelectronics.com  
atgelectronics.com

# Aesthetic meets function

Arriving December 2018



**CLiO**  
ARCHITECTURAL  
POST TOP

**AiRiA**  
ARCHITECTURAL



The Clio Post Top and Airia Area Light are the stars of the show. The Clio is DLC rated and the Airia is DLC Premium, offering high end light distribution and die cast aluminum construction that rivals that of more robust looking fixtures you will find on the market.



951.245.6222  
sales@atgelectronics.com  
atgelectronics.com